

TRI-BUILT Contractor Grade 15 Synthetic Felt Underlayment

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

| | | | |
|------------------------|---|-----------|---|
| PRODUCT NAME: | TRI-BUILT Contractor Grade 15 Synthetic Felt Underlayment | SUPPLIER: | TRI-BUILT® MATERIALS GROUP, LLC |
| PRODUCT CODE: | Polyolefin Coated Woven Fabric | ADDRESS: | 15 East Union Ave., East Rutherford, NJ 07073 |
| CATEGORY: | | PHONE: | 1-800-516-1485 |
| MANUFACTURER: | System Components Corporation | INTERNET: | www.tribuiltmaterialsgroup.com |
| ADDRESS: | Quality Assurance Department | | |
| PHONE: | 50 SE Bush St. Issaquah, WA 98027 | | |
| EMERGENCY PHONE: | (800) 552-7775 | | |
| EFFECTIVE DATE: | March 3, 2015 | | |
| Signature of Preparer: | W.Rammacher Allied Building Products Corp. | | |

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Not a WHMIS Controlled Product | INGREDIENT | % WT | % VOL | SARA 313 REPORTABLE |
|--------------------------------|-------------------------|------|-------|---------------------|
| | Polyolefin | >97 | | |
| | Additives (Proprietary) | <3 | | |

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

| | |
|--------------------------------|---|
| ROUTES OF ENTRY: | Ingestion |
| POTENTIAL HEALTH EFFECTS EYES: | See Note |
| SKIN: | See Note |
| INGESTION: | No known health hazard appears to be posed by the ingestion of small amounts of polyethylene. A physician should be consulted if larger amounts are ingested. |
| INHALATION: | See Note |
| ACUTE HEALTH HAZARDS: | N/A |
| CHRONIC HEALTH HAZARDS: | N/A |
| CARCINOGENICITY: | N/A |

NOTE: Use of protective equipment is a good practice in any industrial environment.

SECTION 4: FIRST AID MEASURES

| | |
|-------------|-----------------------|
| EYES: | Not needed (See note) |
| SKIN: | Not needed (See note) |
| INGESTION: | Not needed |
| INHALATION: | Not needed |

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Smoke and hazardous decomposition products produced in fires involving polyethylene resins can be irritating and may cause pulmonary edema in severely exposed individuals. As this effect may be delayed in onset, a 72 hour post exposure observation is recommended. Carboxyhemoglobin levels should also be monitored to assess the degree of carbon monoxide absorption in these individuals.
 SECTION 4 NOTES: Use of protective equipment is a good practice in any industrial environment.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT:

F: 650°

C: 343°

METHOD USED:

AUTOIGNITION TEMPERATURE:

F: 630° - 750°

C: 330° - 410°

EXTINGUISHING MEDIA: Water spray, "alcohol," foam, carbon dioxide, dry chemical

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to decomposition, it may emit toxic fumes, carbon monoxide, carbon dioxide, acrolein, ketones, aldehydes and other unidentified organic compounds may be formed upon combustion.

SECTION 5 NOTES: Material is a combination of polypropylene and polyethylene and olefin masterbatch.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING: Not needed

STORAGE: General conditions

OTHER PRECAUTIONS: Material is slippery under-foot.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Not needed

EYE PROTECTION: Not needed (See note)

SKIN PROTECTION: Not needed (See note)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not Needed (See Note)

SECTION 8 NOTES: Use of protective equipment is a good practice in any industrial environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Coated Woven Fabric Sheet

ODOR: None

PHYSICAL STATE: Solid

BOILING POINT:

F: N/A

C: N/A

FREEZING POINT:

F: N/A

C: N/A

VAPOR DENSITY (AIR=1):

@

F: N/A

C: N/A

EVAPORATION RATE:

N/A

MELTING POINT:

F: N/A

C: N/A

VAPOR PRESSURE (mmHg):

@

F: N/A

C: N/A

SPECIFIC GRAVITY (H2O=1):

@

F: N/A

C: N/A

SECTION 10: STABILITY AND REACTIVITY

STABILITY:

CONDITIONS TO AVOID (STABILITY): N/A
INCOMPATIBILITY (MATERIAL TO AVOID): N/A
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: N/A

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose with garbage to incinerator or landfill in accordance with federal, provincial and local regulations or where recycling facilities exist.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Not Needed

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENT:

WATER TRANSPORTATION

PROPER SHIPPING NAME: Not Needed

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

AIR TRANSPORTATION

PROPER SHIPPING NAME: Not Needed

HAZARD CLASS:

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): N/A

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): N/A

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): N/A

311/312 HAZARD CATEGORIES: N/A

313 REPORTABLE INGREDIENTS: N/A

STATE REGULATIONS: N/A

INTERNATIONAL REGULATIONS: N/A

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

Prepared on March 7, 2013 Last updated 3/3/2015 New Logo

PREPARATION INFORMATION:

Allied Building Products Corp.

DISCLAIMER: The information presented herein, while not guaranteed, is to the best of our knowledge, true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product since the manner of use and handling is beyond our control. Nothing contained herein is to be construed as permissible or as a recommendation to infringe on any patent. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.